

TENDERLUX - 390

TENDERLUX 390 is the smallest model of the Naumatec range.


Moulded with highest quality materials with the infusion technique, it features a really low dry weight and a wide and particularly comfortable onboard space for a tender of its size.

As for the entire Naumatec range, the product quality is kept high through the use of first choice teak, special paints and upholstery made with modern tech, exotic fabrics in elegant colours.



TECHNICAL SPECS:

Max Length (m):	3,93 reducible to 3,82 by shortening the rear deck and without affecting internal space
External Beam (m):	1,91 inflated
Internal Beam (m):	1,25
Max Height (m):	0,97
Dry Weight (kg):	410
Tubes diameter (m):	0,4 - 0,2
Max Load (people):	5
Fuel tank capacity (l):	Up to 45
Engines:	Up to 120 Hp Gasoline Up to 110 Hp Diesel
Transmissions:	Waterjet
Detected speed:	34 Knots with Yamaha 110 Hp Gas 38 Knots with FNM 110 Hp Diesel



ENGINE PROPOSAL:

Textron 120 Hp 4 strokes Gas - Jet



STANDARD EQUIPMENT:

- Tubes in Hypalon "Cream White" colour
- Custom colour finishing
- Gelcoat finishing RAL 9010
- Hull Custom paint finishing
- Teak finished deck
- Deck Custom paint finishing
- Navigation lights on pole 360°
- Custom Colour Hypalon tubes
- Full cushions set
- Removable Swimming ladder
- Retractable mooring cleats
- Eyebolts at stern
- Automatic + manual bilge pump
- Manual tubes inflator
- Courtesy kit and fire extinguisher





OPTIONALS:

Custom colour finishing- gelcoat
Hull custom colour finishing - paint
Deck custom colour finishing - paint
Custom colour Hypalon tubes
Retractable swimming ladder
LOG / Digital Compass
Audio system
GPS chart plotter
VHF
Depth Gauge
S/S Logo

Deck LED Lights
Underwater Lights
Retractable Navigation Light
Courtesy Handle
S/S Handrail
Hauling System
Towing reinforced Hook
Stern Hook
Spray Dodger
Boat Cover
Electric Inflator

